POR:	,				Ohre: -	•	TOP e	Tall Mark
* C					UPER ANAL	IMMEDIATE	€,	-ill'
FROM	1: (COMMANDER					580	7
CITE	E : !	MS G NUMBE	R WHIS	KEY	DASH ZERO ONE	SIX ONE	116	<i>H</i>
REF	; Wi	HISK EY Z E F	RO ONE	SI	ZERO		/ 14	1.
					**			
CAM	ERA	PRINT ON NUMBERS	QUALIT	Y (CLOUDS POSITION	ИС		
1.	۶Ļ	905,916	POOR	•	NEAR VERTICATE	}-		
,	9R	916	G co D	0	NEAR VERTICAL			
2.	9L	899,904	FAIR	0	VERTICAL			
	9R	903	G 00 D	0	VERTICAL			
3.	9R	915	GOOD	o	NEAR VERTICAL			
4.	9L	900,905,						
		906,910	G00 D	0	NEAR VERTICAL			
5.	9L	242	GOOD	0	EXTREME OBLIQ	UE		
6.	9L	162	GOOD.	0	EXTREME OBLIQ	UE		
7.	9L	232	G OO D	0	MEDIUM OBLIQU	E		
	9R	242	G 00 D	0	MEDIUM OBLIQU	E		
	9R	231	Ģ OO D	0	EXTREME OBLIQ	UE		
8.	9L				FAR OBLIQUE			
	9R				FAR OBLIQUE			
	9R	232	G 00 D	0	EXTREME OBLIG	UE		
9.		•			NEAR VERTICAL			
	9R	185			NEAR VERTICAL	•		
10.	91	Ø 7 2	G 00 1		FAR OBLIQUE		. ** `	
11.	, 91	L 202	G 00 1	0 0	FAR OBLIQUE			
4.0	. 9	1 1 1 5	COO.	n (NEAR VERTICA	Δ.Τ		

25X1

15 JUN 58 20 22z

236

GOOD O FAR OBLIQUE

GOOD O MEDIUM OBLIQUE

rον	ed Fo	r Relea	ase 2007/08/04	4 : CIA-R	DP7	8T05447A000100010
						FAR OELIQUE
	16.	9 R	1267	GOOD	0	AR OBLIQUE
						, and
	17.	9L	54,59	GOO D	0	NEAR VERTI
						NEAR VERTICAL
			, ,			
	18.	9R	86	 VATR	n	MEDIUM OBLIQUE
	100	Jπ	00	rnın	٠.	MEDION OBEIQUE
	40	0.1		2002	•	WEAD WEDGE
	19.					NEAR VERTICAL
		9R	140	GOOD	0	NEAR VERTICAL
				jý ti		
	20.	9L	98	FAIR	0	FAR CELIQUE
		9R	87	FAIR	0	FAR OBLIQUE
	21.	9L	48,53	GOOD	0	NEAR VERTICAL
	22.	٩L	71	GOOD	0	FAR OBLIQUE
		9R	81	GOOD	0	MEDIUM OBLIQUE
	23.	9L	831	GOOD	0	FAR OBLIQUE
	24.	91	1129,			
		7.5	1134	GOOD	Θ	VERTICAL
		O D	1128,	3000	Ü	VERTIONE
		9R	•	000D		NEAD MEDITION
			1133	GOOD	O	NEAR VERTICAL
	25.	9L	1Ø83	G 00 D	0	NEAR VERTICAL
	26.	9L	668,673	GOO D	0	NEAR VERTICAL
	27.	9 R	2024,			
			2029		0	VERTICAL
	- J.		-			
	28.	۶L	943,948	GOOD	0	NEAR VERTICAL
	00				_	NEAD MEDTICAL
	29.	9R	1878	G OO D	O	MENK VEKITORE
	29•	9 R	1878	G 00 D	O	NEAR VERTICAL
						NEAR VERTICAL
	3Ø•	9L	799,794	GOOD	0	NEAR VERTICAL
	3Ø•	9L		GOOD	0	NEAR VERTICAL
	3Ø•	9L 9L	799 , 794	GOOD	0	NEAR VERTICAL
	3Ø•	9L 9L	799 , 794	GOOD	0	NEAR VERTICAL
	3Ø. 31.	9L 9L 9R	799; 794 163Ø 164Ø	GOOD GOOD	o o	NEAR VERTICAL MEDIUM NEAR VERTICAL
	3Ø. 31.	9L 9L 9R	799 , 794	GOOD GOOD	o o	NEAR VERTICAL MEDIUM NEAR VERTICAL
	3Ø. 31.	9L 9L 9R	799; 794 163Ø 164Ø	GOOD GOOD	o o	NEAR VERTICAL MEDIUM NEAR VERTICAL

9R 1761

GOOD O MEDIUM

35. 9L 1454,

GOOD O VERTICAL

9R 1454,

1459 GOOD O VERTICAL

36. 9L 1750 GOOD O NEAR VERTICAL

9R 1744,

1749 GOOD O VERTICAL

37. 9L 1195 GOOD O VERTICAL

38. 9L 117Ø GOOD O NEAR VERTICAL

9R 1175,

1180 GOOD O NEAR VERTICAL

39. 9L 986 GOOD O NEAR VERTICAL

9R 985,990 GOOD O NEAR VERTICAL

40. 9R 990 GOOD O NEAR VERTICAL

41. 9L 581 GOOD O NEAR VERTICAL 9R 571,

,, ,,,,

576,581 GOOD O NEAR VERTICAL

42. 9L 592,597 GOOD O VERTICAL

43. 9R 1889,

1894 GOOD O VERTICAL

44. 9L 1111 GOOD O NEAR VERTICAL

9R 11Ø1 G00D O MEDIUM

45. 9L 1342 GOOD O FAR

46. 9R 959 GOOD O NEAR VERTICAL

47. 9R 662,667 GOOD O VERTICAL

9L 664 GOOD O NEAR VERTICAL

48. 9L 577,582 GOOD O VERTICAL

49. 9L 117 GOOD O MEDIUM

50. 9L 107 FAIR O EXTREME

51. 9L 107 FAIR O FAR

52. 9L 158,163 GOOD O NEAR VERTICAL

9R 158 FAIR O MEDIUM

53. 9L 117 GOOD O FAR

MISSION 1414 6400 FEET. OVERALL QUALITY GOOD. POSITION INCICATOR ON LEFT SIDE INCORRECT. ALSO TWO TO FIFTEEN INCHES BETWEEN FRAMES ON LEFTSIDE. ONLY ABOUT ONE THIRD OF REQUIREMENTS COVERED. TRACK DID NOT COVER SOME REQUIREMENTS, CAMERA OFF OVER SOME, AND RAN OUT OF FILM WITH ONE AND ONE HALF HOUR OF MISSION REMAINING.

25X1

TOP S

ORERATI MYDIATE

SECT 2085 14 41125

FOR:

FROM: COMMANDER

CITE: MSG NUMBER WHISKEY DASH ZERO ONE SIX ONE

CONFIRMING:

CAMERA PRINT QUALITY CLOUDS POSITION NUMBERS

1. 9L 9Ø6,916 POOR O NEAR VERTICAL

9R 916 GOOD O NEAR VERTICAL

2. 9L 899,904 FAIR O VERTICAL

9R 9Ø3 GOOD O VERTICAL

GOOD O NEAR VERTICAL 3. 9R 915

4. 9L 900,905,

906,910 GOOD O NEAR VERTICAL

GOOD O EXTREME OBLIQUE 5. 9L 242

GOOD O EXTREME OBLIQUE

GOOD O MEDIUM OBLIQUE 7. 9L 232

GOOD O MEDIUM OBLIQUE 9R 242

GOOD O EXTREME OBLIQUE 9R 231

GOOD O FAR OBLIQUE 8. 9L 222

> GOOD O FAR OBLIQUE 9R 242

GOOD O EXTREME OBLIQUE 9R 232

9. 9L 175,180 GOOD O NEAR VERTICAL

GOOD O NEAR VERTICAL Approved For Release 2007/08/04: CIA-RDP78T05447A000100010106-7 25X1

25X1

25X1

,	Approv	ed For	Relea	se 2007/08/04	4 : CIA-R	DP7	8T05447A000100010106-7
		10.	9L	Ø72	GOOD	0	FAR OBLIQUE
						-1 18	Sa.
		11.	9L	292	GOOD	0 3	OBLIGHE
		. %.	0.7	445	COOD	0	NEAR VICAL
		12.	AL.	145	G00D	U	NEAR VICAL
		13.	9L	242	GOOD	0	FAR OBLIQUE
		14.	9R	236	GOOD	0	MEDIUM OBLIQUE
	1	15,	9R,	1256	GOOD .	9 .,	FAR OBLIQUE
			25	1045	GAAD.		DAD ANI TONO
		16.	9R	1267	. GOO D	0	FAR OBLIQUE
		16.	Q.R	1267	GOOD	0	FAR OBLIQUE
			5 IX	120.	4402		
		17.	9L	54,59	G OO D	0	NEAR VERTICAL
			9R	48,53,58	GOOD	0	NEAR VERTICAL
		18.	9 R	86	FAIR	0	MEDIUM OBLIQUE
		19.		•			NEAR VERTICAL
			ЭK	140	GOOD	0	NEAR VERTICAL
		20.	9L	98	FAIR	0	FAR OBLIQUE
		•	9R				FAR OBLIQUE
		21.	9L	48,53	GOOD	0	NEAR VERTICAL
		2 2.	9L				FAR OBLIQUE
			9R	81	G OO D	0	MEDIUM OBLIQUE
		23.	9L	831	GOOD	0	FAR OBLIQUE
		•				-	
		24.	9L	1129,			
				1134	G 00 D	0	VERTICAL
		:	9R :	1128,			
				1133	GOOD	0	NEAR VERTICAL
		OF.	6.1	10102	0000		MEAD HEDETCAL
		27.	ЭĽ	¥10 82	G OO D	U	NEAR VERTICAL
		26.	9L	668,673	GOOD	0	NEAR VERTICAL
				,			
		27.	9R	2024,			
				20/29	G 00 D	0	VERTICAL
		28.	9L	943,948	GOOD	0	NEAR VERTICAL

100

GOOD O NEAR VERTICAL

9R 1878



FOR:

FROM: COMMANDER

CITE: MSG NUMBER WHISKEY DASH ZERO ONE SIX ONE

30. 9L 799,794 GOOD O NEAR VERTICAL

31. 9L 163Ø GOOD O MEDIUM

9R 1640 GOOD O NEAR VERTICAL

32. 9L 1040 GOOD O MEDIUM

9R 1Ø39 GOOD O VERTICAL

33. 9L 1159 GOOD O FAR

34. 9L 1771 GOOD O MEDIUM

9R 1761 G00D O MEDIUM

35. 9L 1454,

1459 GOOD O VERTICAL

9R 1454,

1459 GOOD O VERTICAL

36. 9L 1750 GOOD O NEAR VERTICAL

9R 1744,

1749 GOOD O VERTICAL

37. 9L 1195 GOOD O VERTICAL

38. 9L 117Ø GOOD O NEAR VERTICAL

9R 1175,

118Ø GOOD O NEAR VERTICAL

39. 9L 986 GOOD O NEAR VERTICAL

9R 985,990 GOOD O NEAR VERTICAL

40. 9R 990 GOOD O NEAR VERTICAL

41. 9L 581 GOOD O NEAR VERTICAL

9R 571,

576,581 GOOD O NEAR VERTICAL

42. 9L 592,597 GGOD 0 VERTICAL
Approved For Release 2007/08/04 : CIA-RDP78T05447A000100010106-7

25X1

25X1

GOOD O TRTICAL 1894

GOOD O NEAR VERTICAL 44. 91 1111

GOOD O MEDIUM was de

45. 9L 1342 GOOD O FAR

VERTICAL 9R 959 GOOD O

47. 9R 662,667 GOOD O VERTICAL

GOOD O NEAR VERTICAL

48. 9L 577,582 GOOD 0 VERTICAL

GOOD O MEDIUM 49. 9L 117

FAIR O EXTREME 50. 9L 107

51. 9L 107 FAIR O FAR

52. 9L 158,163 GOOD O NEAR VERTICAL

FAIR O MEDIUM 9R 158

GOOD O FAR 53. 9L 117

MISSION 1414 6400 FEET. OVERALL QUALITY GOOD. POSITION INCICATOR ON LEFT SIDE INCORRECT. ALSO TWO TO FIFTEEN INCHES BETWEEN FRAMES ON LEFTSIDE. ONLY ABOUT ONE THIRD OF REQUIREMENTS COVERED. TRACK DID NOT COVER SOME REQUIREMENTS, CAMERA OFF OVER SOME, AND RAN OUT OF FILM WITH ONE AND ONE HALF HOUR OF MISSION REMAINING.

CONFIRMING:

9R 916

9Ø3

CAMERA PRINT QUALITY CLOUDS POSITION NUMBERS

- 1. 9L 9Ø6,916 POOR O NEAR VERTICAL GOOD O NEAR VERTICAL
- 899,904 FAIR O VERTICAL 2. 9L GOOD O VERTICAL
- GOOD O NEAR VERTICAL 3. 9R 915
- 4. 9L 900,905, 906,910 GOOD O NEAR VERTICAL

JUK Stunds

ov Sect Hor STopsec

For: Commander

CITE: MSG NUMBER WHISKEY DASH ZERO ONE SIX ONE

EXTREME OBLIQUE 242 EXTREME OBLIQUE GOOD 162 ٩L MEDIUM OBLIQUE GOOD 9L 232 7. MEDIUM OBLIQUE GOOD 9R 242 EXTREME OBLIQUE 9R 231 GOOD 222 GOOD FAR OBLIQUE 8. ٩L FAR OBLIQUE 9R 242 GOOD EXTREME OBLIQUE GOOD 0 9R 232

GOOD O NEAR VERTICAL

9R 185 GOOD O NEAR VERTICAL

Approved For Release 2007/08/04 : CIA-RDP78T05447A000100010106-7

25X1

25X1

11.	9L	202	GOOD	0 🗯	FAR OBLIQUE
12.	9L	14 5	GOOD	0	NEAR VERTICAL
13.	9L _.	242	GOOD	0	FAR OBLIQUE
14.	9R	236	GOOD	0	MEDIUM OBLIQUE
15.	9R	1256	GOOD	0	FAR OBLIQUE
16.	9R	1267	GOOD	0	FAR OBLIQUE
16.	9R	1267	GOOD	0	FAR OBLIQUE
17.	9L	54.59	GOOD	0	NEAR VERTICAL
	9R	48,53,58			NEAR VERTICAL
18.	9R	8 6	FAIR	0	MEDIUM OBLIQUE
19.	۶L	130,135	GOOD	0	NEAR VERTICAL
	9R	140	GOOD	0	NEAR VERTICAL
20.	9L	98	FAIR	0	FAR OBLIQUE
	9R	8 7	FAIR	0	FAR OBLIQUE
21.	9L	48,53	GOOD	0	NEAR VERTICAL
22.	9L	71	GOOD	0	FAR OBLIQUE
	9R	81	GOOD	0	MEDIUM OBLIQUE
23.	9L	83 1	GOOD	0	FAR OBLIQUE
24.	9L	1129,			,
		1134	GOOD	0	VERTICAL
9	9R	1128,			
		11 33	GOOD	0	NEAR VERTICAL



FINAL OF 5 SECTION OF 5

2 0 0

TOPSEC FOR: FROM: COMMANDER

CITE: MSG NUMBER WHISKEY DASH ZERO ONE SIX ONE

GOOD O NEAR VERTICAL 25. 9L 1083

9L 668,673 GOOD O NEAR VERTICAL

27. 9R 2024, 2029 GOOD O VERTICAL

9L 943,948 GOOD O NEAR VERTICAL

9R 1878 GOOD O NEAR VERTICAL 29.

9L 799,794 GOOD O NEAR VERTICAL 3Ø.

O MEDIUM 31. 9L 163Ø GOOD GOOD O NEAR VERTICAL 1640

1040 GOOD O MEDIUM 32. 9L

O VERTICAL GOOD 9R 1039

9L 1159 GOOD O FAR

9L 1771 GOOD O MEDIUM 34. 1761 GOOD O MEDIUM 9R

Approved For Release 2007/08/04: CIA-RDP78T05447A000100010106-7

25X1

25X1

25X1

```
Approved For Release 2007/08/04 : CIA-RDP78T05447A000100010106-7
               1459
                       GOOD O VERTICAL
           9R 1454,
               1459
                       GOOD O VERTICAL
      36. 9L 1750
                       GOOD O NEAR VERTICAL
           9R 1744,
              1749
                       GOOD O VERTICAL
              . . . .
      37.
          9L 1195
                      GOOD O VERTICAL
      38. 9L 117Ø
                      VOOD O NEAR VERTICAL
          9R 1175,
              1180
                      GOOD O NEAR VERTICAL
     39. 9L 986
                      GOOD O NEAR VERTICAL
          9R 985,99Ø GOOD O NEAR VERTICAL
     40. 9R 990
                      GOOD O NEAR VERTICAL
     41. 9L 581
                      GOOD O NEAR VERTICAL
          9R 571,
              576,581 GOOD O NEAR VERTICAL
     42. 9L 592,597 GOOD O VERTICAL
     43. 9R 1889,
             1894
                    GOOD O VERTICAL
     44. SL 1111
                    GOOD O NEAR VERTICAL
         9R
             11Ø1
                     GOOD O MEDIUM
     45.
         ٩L
            1342
                     GOOD O FAR
     46.
         9R 959
                     GOOD O NEAR VERTICAL
```

Approved For Release 2007/08/04 : CIA-RDP78T05447A000100010106-7

9R 662,667 GOOD O VERTICAL

GOOD O NEAR VERTICAL

47.

664

Approved For Release 2007/08/04 : CIA-RDP78T05447A000100010106-7

49.	SL.	117	GOOD	0	MEDIUM
	~ ~			_	

- 50. 9L 107 FAIR O EXTREME
- 51. 9L 107 FAIR O FAR
- 52. 9L 158,163 GOOD O NEAR VERTICAL
 - 9R 158 FAIR O MEDIUM
- 53. 9L **117** GOOD O FAR

MISSION 1414 6400 FEET. OVERALL QUALITY GOOD. POSITION INCICATOR ON LEFT SIDE INCORRECT. ALSO TWO TO FIFTEEN INCHES BETWEEN FRAMES ON LEF SIDE. ONLY ABOUT ONE THIRD OF REQUIREMENTS COVERED. TRACK DID NOT COVER SOME REQUIREMENTS, CAMERA OFF OVER SOME, AND RAN OUT OF FILM WITH ONE AND ONE HALF HOUR OF MISSION REMAINING.